
SKY COLLECTION





COLOR RANGE





* Denotes Metallic.

Due to the nature of the printing process, the colours and images depicted throughout this brochure may vary compared to the actual products' colour and results achieved. Images and colours are to be used as a guide only.

CHARACTERISTICS & PROPERTIES

Panels or furniture components (door/drawers, finished elements), could be realized using different kind of support: chipboard, MDF, plywood; having the back side same as the front side or plated with shock-resistant polystyrene. In additional is possible to use specific kind of support requested by customer with whom define technical parameters.

Where necessary, surfaces are complete with protective film.

| PROPERTIES | SPECIFICATION | METHOD |
|-----------------------------|-----------------------------------|-----------------|
| Gloss Level | > 90% | Viewed at 60° |
| Mass | 13.5kg/m ² | 18mm |
| | 8.0kg/m ² | 9.5mm |
| Surface Hardness | 2H - 3H | Pencil Hardness |
| Heat Distortion Temperature | 85°C | ASTM D648 |
| Service Temperature | 70°C | Continuous |
| Fire Rating | Group 4 | A2.4 BCA |
| Bond Strength | 100N (25N min) | AS/NZS 4266.28 |
| Surface Resistance | 1.25 MPa (0.9 MPa min) | AS/NZS 4266.7 |
| Stain Resistance | No effect | AS/NZS 4266.25 |
| Steam Resistance | No change after 30 min | AS/NZS 4266.23 |
| Cracking Resistance | No effect | AS/NZS 4266.24 |
| Dry Heat Resistance | No loss of gloss or colour change | AS/NZS 4266.26 |

EDGE TAPE

A near seamless appearance can be achieved using **SKY** high gloss ABS colour matched edge tape.

Many other contrast and dual colour tapes can be used to achieve a sophisticated and contemporary style.



METALLIC COLOURS

Metallic colours are directional. Take note of the arrows on the protective sheet.

We recommend all metallic panels are positioned with the arrows in one direction to avoid apparent shade or colour variation.

SUPERIOR FEATURES

- Ultra high gloss ripple free surface UV and colour fade protected High scratch resistance Won't chip, crack or delaminate
- Very easy to clean and maintain Economical and easy to fabricate

APPLICATIONS

- Kitchen Cabinets & Doors Office Furniture & Partitions Entry & Passageway Doors Wall Cladding in Retail Outlets
- Wardrobe Doors
 Sofas

CLEANNG

Best results are achieved by using a soft cloth or chamois with a non abrasive soap or detergent in warm water.

POLISHING

Minor scratches and scuffs can be easily removed from **SKY** by hand with selected liquid polishes and soft polishing cloths.

ENVIRONMENT

SKY is fully recyclable by mechanical means. **SKY** sheet is manufactured and then laminated without the use of any VOC's or other harmful emissions. **SKY** is hygienic and does not promote bacterial growth or transmission.





respect integrity trasparency

MAKE Perseverance flexibility

future

MAKE srl Viale Italia 202/B 31015 Conegliano (TV) - Italy

> T. +39 0438 33569 F. +39 0438 1731214

www.makepanels.com info@makepanels.com